

Medical Exemption Statement 3413F1

Physician: Please mark the contraindications/precautions that apply to this patient, then sign and date the back of the form. The signed Medical Exemption Statement verifying true contraindications/precautions is submitted to and accepted by schools, childcare facilities, and other agencies that require proof of immunization. For medical exemptions for conditions not listed below, please note the vaccine(s) that is contraindicated and a description of the medical condition in the space provided at the end of the form. The State Medical Officer may request to review medical exemptions.

Attach a copy of the most current immunization record

For official use only:

Check if reviewed by public health *Name/credentials of reviewer:* _____ *Date of review:* _____

Name of patient _____ DOB _____ Name of parent/guardian _____ Address (patient/parent)

_____ School/child care facility _____ Medical contraindications for immunizations are determined by the most recent General Recommendations of the Advisory Committee on Immunization Practices (ACIP), U.S. Department of Health and Human Services, published in the Centers for Disease Control and Prevention's publication, the Morbidity and Mortality Weekly Report.

A **contraindication** is a condition in a recipient that increases the risk for a serious adverse reaction. A vaccine will not be administered when a contraindication exists.

A **precaution** is a condition in a recipient that might increase the risk for a serious adverse reaction or that might compromise the ability of the vaccine to produce immunity. Under normal conditions, vaccinations should be deferred when a precaution is present.

Contraindications and Precautions

Vaccine	X	
Hepatitis B (not currently required by Administrative Rule of Montana [ARM])	<input type="checkbox"/> <input type="checkbox"/>	Contraindications <ul style="list-style-type: none"> · Serious allergic reaction (e.g., anaphylaxis) after a previous vaccine dose or vaccine component Precautions <ul style="list-style-type: none"> · Moderate or severe acute illness with or without fever
DTaP	<input type="checkbox"/> <input type="checkbox"/>	Contraindications <ul style="list-style-type: none"> · Severe allergic reaction (e.g., anaphylaxis) after a previous dose or to a vaccine component · Encephalopathy within 7 days after receiving previous dose of DTP or DTaP Precautions
DT, Td	<input type="checkbox"/>	<ul style="list-style-type: none"> · Progressive neurologic disorder, including infantile spasms, uncontrolled epilepsy, progressive encephalopathy; defer DTaP until neurological status has clarified and stabilized
Tdap	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<ul style="list-style-type: none"> · Fever $\geq 40.5^{\circ}\text{C}$ (105°F) within 48 hours after vaccination with previous dose of DTP or DTaP · Guillain-Barre' syndrome ≤ 6 weeks after a previous dose of tetanus toxoid-containing vaccine · Seizure ≤ 3 days after vaccination with previous dose of DTP or DTaP · Persistent, inconsolable crying lasting ≥ 3 hours within 48 hours after vaccination with previous dose of DTP/ DTaP · History of arthus-type hypersensitivity reactions after a previous dose of tetanus toxoid- containing vaccine · Moderate or severe acute illness with or without fever
IPV		Contraindications
	<input type="checkbox"/>	<ul style="list-style-type: none"> · Severe allergic reaction (e.g., anaphylaxis) after a previous dose or to a vaccine component
		Precautions
	<input type="checkbox"/>	<ul style="list-style-type: none"> · Pregnancy
	<input type="checkbox"/>	<ul style="list-style-type: none"> · Moderate or severe acute illness with or without fever

Vaccine	X	
PCV (not currently required by ARM)	<input type="checkbox"/> <input type="checkbox"/>	Contraindications <ul style="list-style-type: none"> Severe allergic reaction (e.g., anaphylaxis) after a previous dose (of PCV7, PCV13, or any diphtheria toxoid--contain vaccine) or to a component of a vaccine (PCV7, PCV13, or any diphtheria toxoid-containing vaccine) Precautions <ul style="list-style-type: none"> Moderate or severe acute illness with or without fever
Hib		Contraindications
	<input type="checkbox"/>	Severe allergic reaction (e.g., anaphylaxis) after a previous dose or to a vaccine component
	<input type="checkbox"/>	Age <6 weeks
		Precautions
	<input type="checkbox"/>	Moderate or severe acute illness with or without fever
MMR	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	Contraindications <ul style="list-style-type: none"> Severe allergic reaction (e.g., anaphylaxis) after a previous dose or to a vaccine component Known severe immunodeficiency (e.g., hematologic and solid tumors, chemotherapy, congenital immunodeficiency, long-term immunosuppressive therapy, or patients with HIV infection who are severely immunocompromised) Pregnancy Precautions <ul style="list-style-type: none"> Recent (<11 months) receipt of antibody-containing blood product (specific interval depends on the product) History of thrombocytopenia or thrombocytopenic purpura Need for tuberculin skin testing Moderate or severe acute illness with or without fever
Varicella	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	Contraindications <ul style="list-style-type: none"> Severe allergic reaction (e.g., anaphylaxis) after a previous dose or to a vaccine component Known severe immunodeficiency (e.g., hematologic and solid tumors, chemotherapy, congenital immunodeficiency, long-term immunosuppressive therapy, or patients with HIV infection who are severely immunocompromised) Pregnancy Precautions <ul style="list-style-type: none"> Recent (<11 months) receipt of antibody-containing blood products (interval depends on product) Moderate or severe acute illness with or without fever
For medical conditions not listed, please note the vaccine(s) that is contraindicated and a description of the condition		

Name of Student _____

Date Exemption Ends _____

Completing physician's name (please print)

Address _____ Phone _____

Completing physician's signature (only licensed physicians may sign)

InstructionsPurpose: To provide Montana physicians with a mechanism to document true medical exemptions to vaccinations

Preparation: 1. Complete patient information (name, DOB, address, and school/childcare facility)
 1. Check applicable vaccine(s) and exemption(s)
 2. Complete date exemption ends and physician information
 3. Attach a copy of the most current immunization record
 4. Retain a copy for file
 5. **Return original to person requesting form**

Reorder: Immunization Program
 1400 Broadway, Room C-211
 Helena, MT 59620
 (406) 444-5580
<http://www.dphhs.mt.gov/publichealth/immunization/>

Questions? Call (406) 444-5580

Montana Code Annotated

20-5-101-410: Montana Immunization Law 52-2-735: Daycare certification

Administrative Rules of Montana

37.114.701-721: Immunization of K-12, Preschool, and Post-secondary schools 37.95.140: Daycare Center Immunizations, Group Daycare Homes, Family Day

Care Homes